

KAMADUR


REPLACEMENT PARTS FOR ETTLINGER® LASERFILTERS



Ex stock

Laserfilters with carrier and filter:
80 micron up to 400 micron

Scraper knives:
in DIN 1.2344 and Springsteel



Refurbishing

ETTLINGER® LASERFILERS



Before

Our experts inspect the laserfilter and determine the best refurbishing process

Save up to
30%



After

Refurbished laserfilter according to original specifications and performance

TECHNICAL SPECIFICATIONS

Category	Specification
Diameter options	Ø200 (EUP), Ø254 (EHP)
Materials	AISI Steel, Special Steels, high-wear alloys
Primary use	Filters for plastics extrusion and melt filtration
Processable polymers	ABS, LDPE, LLDPE, HDPE, EPS, PA, PET, PVB, PP, PS, XPS
Equipment compatibility	ETTLINGER®
Operating environment	High-temperature polymer melt streams
Typical applications	Recycling lines, pelletizing systems, filtration of contaminated melt
Advantages	High durability, stable filtration, long service life, cost reduction Equal to OEM specifications



KAMADUR INDUSTRIAL KNIVES B.V. | JAN VAN DER HEYDENSTRAAT 80
2665 JB | BLEISWIJK | THE NETHERLANDS | T +31 (0)88 526 23 00



my.kamadur.com



www.kamadur.com



knives@kamadur.com